


bing

© 2020 Microsoft Corporation © 2020 Maxar © CNES (2020) Distribution Airbus DS

Texas 45
Aerial







Copyright: © 2013 National Geographic Society, i-cubed

Texas County, OK Soil

Ba	Paymaster fine sandy loam	0 to 1 percent slopes
BeB	Berthoud loam	1 to 3 percent slopes
BeC	Berthoud loam	3 to 5 percent slopes
Bp	Bippus clay loam	1 to 3 percent slopes
DaA	Dalhart fine sandy loam	0 to 1 percent slopes
DaB	Dalhart fine sandy loam	1 to 3 percent slopes
DsB	Dalhart loamy fine sand	0 to 3 percent slopes
DuA	Perico-Ulysses complex	
DuB	Perico-Ulysses complex	1 to 3 percent slopes
DuC	Perico-Ulysses complex	3 to 5 percent slopes
Ln	Happyditch loamy fine sand	0 to 1 percent slopes
Lo	Lofton clay loam	0 to 1 percent slopes
MaB	Conlen clay loam	0 to 3 percent slopes
MaC	Conlen clay loam	3 to 5 percent slopes
MnC4	Conlen clay loam	3 to 8 percent slopes
Mp	Conlen-Plack complex	3 to 12 percent slopes
Ot	Otero fine sandy loam	3 to 8 percent slopes
Ov	Otero-Vona complex	3 to 12 percent slopes
Pm	Sherm clay loam,	0 to 1 percent slopes
Pt	Plack-Rock outcrop complex	5 to 20 percent slopes
Ra	Ness clay	0 to 1 percent slopes
Rc	Gruver clay loam	0 to 1 percent slopes
Rf	Rickmore fine sandy loam	0 to 1 percent slopes
Rt	Gruver loam	0 to 1 percent slopes
Sp	Spur clay loam	0 to 1 percent slopes
Sw	Lesho silty clay loam	0 to 1 percent slopes
Tv	Valent fine sand	12 to 30 percent slopes
UcA	Ulysses clay loam,	0 to 1 percent slopes
UcB	Ulysses clay loam,	1 to 3 percent slopes
Ve	Quinlan-Rock outcrop complex	5 to 30 percent slopes
VoB	Vona loamy fine sand	0 to 3 percent slopes
VoC	Vona loamy fine sand	3 to 8 percent slopes
Vp	Vona, Otero, and Plack soils	3 to 20 percent slopes
W	Water	
WwB	Woodward loam	1 to 3 percent slopes
DUN	Dune land	
DAM	Large dam	
M-W	Miscellaneous water	